

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	674	time with date with synchronization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:39
S2	325	(time with date with synchronization). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:39
S3	0	"52." and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:39
S4	199	S2 and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:39
S5	24	S2 and @ad<="19990119" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:40
S6	2507	time with synchroniz\$5 with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:43
S7	281	(time with synchroniz\$5 with packet). ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:39
S8	28	"4530091"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:51
S9	2	("4530091").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 15:53

S10	1	((("4530091").PN.) and interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 16:03
S11	2	("5428645").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 16:04
S12	17	"5428645".URPN.	USPAT	OR	ON	2004/08/05 16:04
S13	45987	(time and synchroniz\$5).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 16:11
S14	3516	(time and synchroniz\$5).ab. and network and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 16:13
S15	178	(time and synchroniz\$5).ab. and atm and network and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:44
S16	10	"23.5 msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 16:14
S17	71	atm and (success adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 16:39
S18	42	(atm and (success adj message)) and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:18
S19	2	(atm and (success adj message)) and @ad<="19990119" and hashimoto	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:14
S20	1405	atm and "23.5"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:14

S21	2	atm and "23.5 msec"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:17
S22	0	atm and ((amx adj bus) or amx-bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:20
S23	0	((amx adj bus) or amx-bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:18
S24	82	atm and (amx)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:20
S25	9	atm with (amx)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:22
S26	11	atm and multiplexer and (amx)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:22
S27	8	(US-4530091-\$ or US-6629249-\$ or US-6351821-\$ or US-6038237-\$ or US-6023725-\$).did. or (EP-757503-\$). did. or (EP-986202-\$ or WO-9965250-\$).did.	USPAT; EPO; DERWENT	OR	OFF	2004/08/05 17:23
S28	0	((US-4530091-\$ or US-6629249-\$ or US-6351821-\$ or US-6038237-\$ or US-6023725-\$).did. or (EP-757503-\$). did. or (EP-986202-\$ or WO-9965250-\$).did.) and amx	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 17:23
S29	182	(time and synchroniz\$5 and atm).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:44
S30	79	(time and synchroniz\$5 and atm and network).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 18:44

S31	79	(time and synchroniz\$5 and atm and network).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 11:38
S32	1	(time and synchroniz\$5 and atm and network).ab. and ack and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 10:55
S33	12	(time with synchroniz\$5 with atm with network).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 10:57
S34	4	((time near1 synchroniz\$5) and atm and network).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 11:39
S35	540	(709/248).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 11:38
S36	246	S35 and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 11:39
S37	0	S31 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 11:39
S38	7397	(ack) and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 11:39
S39	18	S38 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 11:39
S40	41	(time near1 synchroniz\$5) and S35 and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:14

S41	873	(time near1 synchroniz\$5) and push and "5" and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:53
S42	540	(709/248).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:53
S43	4	(time near1 synchroniz\$5) and push and S42 and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:53
S44	755	(370/516).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:47
S45	50	(time near1 synchroniz\$5) and S44 and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 15:47
S46	24537	((clock and time) and synchroniz\$5 and network) and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:14
S47	44397	((clock or time) and synchroniz\$5 and network) and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:15
S48	2362	((clock or time) and synchroniz\$5 and network).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:15
S49	2	((clock or time) and synchroniz\$5 and network and push).ab. and @ad<="19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:15
S50	540	(709/248).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 16:15

S51	52	(S44 or S50) and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:16
S52	23	("4530091").URPN.	USPAT	OR	ON	2005/05/26 18:55

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("5721738").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 11:39
S2	14	(ATM adj bus) and interrupt and time and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 14:23
S3	1	((ATM adj bus) and interrupt and time and synchroniz\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:52
S4	487	( interrupt and time and synchroniz\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 14:37
S5	34	(network and interrupt and time and synchroniz\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 14:36
S6	69	(( interrupt and time and synchroniz\$5).ab.) and time.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 14:23
S7	2	("5721738").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:47
S8	6	("4807259"   "4860285"   "5025457"   "5313462"   "5487070"   "5517521").PN.	USPAT	OR	ON	2004/07/30 14:47
S9	5	"5721738".URPN.	USPAT	OR	ON	2004/07/30 14:47
S10	417	(( interrupt and time and synchroniz\$5).ab.) and @ad <= "20000114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 14:24

S11	42	(( interrupt and time and synchroniz\$5 and interval).ab.) and @ad <= "20000114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 17:44
S12	10	(( interrupt and time and synchroniz\$5 and interval).ab.) and @ad <= "20000114" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 16:39
S13	31430	"23.5"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 16:39
S14	487	(( interrupt and time and synchroniz\$5).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 17:49
S15	25	(( interrupt and time and synchroniz\$5).ab.) and @ad <= "20000114" and interval and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:40
S16	1097	(709/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 17:48
S17	0	((709/228).CCLS.) and (interrupt and time and synchroniz\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 17:48
S18	41	((709/228).CCLS.) and (interrupt and time and synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 17:48
S19	33	((709/228).CCLS.) and (interrupt and time and synchroniz\$5)) and @ad <= "20000114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 17:50
S20	476	(709/248).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 17:49



S21	77	((709/248).CCLS.) and ( interrupt and time and synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 17:49
S22	52	((((709/248).CCLS.) and ( interrupt and time and synchroniz\$5)) and @ad <= "20000114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 17:50
S23	3320	(time adj synchronization) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:56
S24	284	((time adj synchronization) and network).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:40
S25	139	((((time adj synchronization) and network).ab.) and @ad <= "20000114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:53
S26	4	((time adj synchronization) and network and atm).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:45
S27	111	((((time adj synchronization) and network).ab.) and @ad <= "19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:53
S28	7	((((time adj synchronization) and network).ab.) and @ad <= "19990119" and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:56
S29	0	(time adj synchronization) with network with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:56
S30	31	(time adj synchronization) with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 12:59

S31	191	(time near2 synchroniz\$5) with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 11:56
S32	153	((time near2 synchroniz\$5) with interrupt) and @ad <= "19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:50
S33	521	success adj message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:00
S34	5	(time adj synchronization) and (success adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:04
S35	71	(atm) and (success adj message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:04
S36	42	((atm) and (success adj message)) and @ad <= "19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:51
S37	230	(time near2 synchroniz\$5) and (sequence near4 interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:51
S38	206	((time near2 synchroniz\$5) and (sequence near4 interrupt)) and @ad <= "19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:52
S39	0	(time near2 synchroniz\$5) with (sequence near4 interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:09
S40	149	((time near2 synchroniz\$5) and (sequence near4 interrupt)) and @ad <= "19990119" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:12

S41	37	((time near2 synchroniz\$5) and (sequence near4 interrupt)) and @ad <= "19990119" and network and (time).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 14:53
S42	2	("5721738").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 15:08
S43	5	"5721738".URPN.	USPAT	OR	ON	2004/08/05 15:08
S44	3	((time or clock or date) near2 synchroniz\$5) with (sequence near4 interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:10
S45	11	((time or clock or date) near2 synchroniz\$5) same (sequence near4 interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:12
S46	9	(((((time or clock or date) near2 synchroniz\$5) and (interrupt)).ab.) and @ad <= "19990119" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:13
S47	123	(((((time or clock or date) near2 synchroniz\$5) and (interrupt)).ab.) and @ad <= "19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:13
S48	60	(atm adj bus) and @ad <= "19990119" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:16
S49	84	(atm adj bus) and @ad <= "19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:17
S50	8	(atm adj bus) and interrupt and @ad <= "19990119"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:17
S51	173	((((time or clock or date) near2 synchroniz\$5) and (interrupt)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:33

S52	148	synchronization with message with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 15:34
S53	2	("6622193").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 15:34
S54	4	("4716523"   "5056011"   "5797037"   "6003106").PN.	USPAT	OR	ON	2004/08/05 15:35
S55	0	"6622193".URPN.	USPAT	OR	ON	2004/08/05 15:36
S56	2	("6023725").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 14:19
S57	2	("5448557").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 14:19